

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.47

1949

LIBRARY
RECEIVED

★ AUG 31 1949 ★

U. S. Department of Agriculture

~~FINCK FLORAL COMPANY~~

R #12, Box 287

Kirkwood 22, Missouri

Orchid Growers & Importers

BRAZILIAN PRICE LIST

Sole Agents in the United States
for

ORQUIDEARIO CATARINENSE
CORUPA - SANTA CATARINA - BRAZIL
-Since 1906-

South America's Largest Orchid Growers and Exporters

General Price List of Blooming Size Hybrids - Natural Species - Rarities in General

The prices on the plants listed are retail. Special prices will be sent to any grower who wishes to order 10 plants or more of one specie or 5 plants or more of certain varieties. All prices are F.O.B. Brazil. Shipments can be made in about 2 weeks after the order is received from us.

All plants offered are guaranteed to be of first class quality, blooming size and in good condition.

All plants will be imported by air express through the port of Miami, Florida. If the customer allows us to forward the plants via air express from Miami we will be able to guarantee safe arrival and any plant that arrives dead will be replaced.

On orders of not less than 30 plants there will be an extra charge of \$0.70 per plant to cover all expenses and air express charges to Miami. On orders of less than 30 plants the charge will be \$0.80 per plant. Shipments from Brazil cannot be sent air express collect.

All plants will be imported under our permit, inspected at Miami and forwarded by our agents direct to you, C.O.D. for shipping expenses from Miami, brokerage and customs charges. You do not need an import permit and you are free of all details with United States Customs. We do not charge for our importing services.

For shipment in about 2 weeks we cannot accept orders for less than \$200.00. However, for customers who do not mind waiting for shipment we can accept smaller orders for \$25.00 or more and make shipment as soon as we have enough orders to total \$200.00.

Payment for plants and shipping expenses should be sent to us with order. We will not in any case ship C.O.D. for the cost of the plants or shipping expenses from Brazil to Miami.

Any customer who wishes to cancell his order must allow us 15 days to contact our exporter. In the event that the shipment is already in transit at the time the exporter receives the cancellation the customer will be responsible for the plants and will have to accept them when they arrive. We will be unable to make a refund in this case.

BRAZILIAN ORCHIDS

	<u>each</u>		<u>each</u>
<i>Aspasia lunata</i> . . .	\$ 1.00	<i>C. Intermedia</i> var. <i>rosea-punctata</i> .	\$ 12.00
<i>Bifrenaria aureofulva</i> . . .	1.25	<i>C. " var. rosea-unicolor</i> . . .	19.00
<i>B. Fuerstenbergiana</i> . . .	1.00	<i>C. " var. punctatissima</i> . . .	5.00
<i>B. Harrisoniae</i> . . .	1.20	<i>C. " var. purpurea</i> . . .	10.00
<i>B. tyrianthina</i> . . .	2.25	<i>C. " var. Seideliana</i> . . .	65.00
<i>B. tyrianthina</i> var. <i>alba plena</i>	6.00	<i>C. " var. striata</i> . . .	7.00
<i>B. Vitellina</i>	2.00	<i>C. " var. speciosa</i> . . .	105.00
<i>Brassavola flabelliformis</i> .	1.00	<i>C. " var. Suavissima</i> . . .	18.00
<i>Br. Perinii</i>	1.50	<i>C. " var. marmorata</i> . . .	13.00
<i>Catasetum cernum</i>	2.00	<i>C. " var. venosa</i> . . .	50.00
<i>C. cristatum</i>	2.00	<i>C. " var. vinicolor</i> . . .	6.00
<i>C. fimbriatum</i>	2.00	<i>C. " var. vinicolor-claro</i> . . .	30.00
<i>Cattleya Aclandiae</i>	3.00	<i>C. " var. vinicolor-escuro</i> . . .	8.00
<i>C. amethystoglossa</i>	2.20	<i>C. " var. violacea</i> . . .	6.00
<i>C. bicolor</i>	2.25	<i>C. Labiata Autumnalis</i> (from Ceara)	3.30
<i>C. Dormaniana</i> (extra) . . .	3.50	<i>C. Labiata</i> " (from Pernambuco).	3.00
<i>C. Eldorado</i>	4.25	<i>C. Labiata Warnerii</i> . . .	3.40
<i>C. " var. albescens</i>	10.00	<i>C. " var. candida</i> . . .	26.00
<i>C. " var. Virginalis</i> (Pure White)	16.00	<i>C. " var. concolor</i> . . .	42.00
<i>C. Forbessii</i>	1.00	<i>C. " var. flava</i> . . .	42.00
<i>C. Forbessii</i> var. <i>aurea</i> . . .	3.50	<i>C. " var. gigantea</i> . . .	77.00
<i>C. Granulosa</i>	3.00	<i>C. " var. labelloide</i> . . .	250.00
<i>C. " var. Schoffieldiana</i> . . .	3.50	<i>C. " var. lilacina</i> . . .	50.00
<i>C. Grossii</i>	3.00	<i>C. " var. maculata</i> . . .	20.00
<i>C. guttata</i>	1.50	<i>C. " var. marginata</i> . . .	127.00
<i>C. guttata</i> var. <i>Leopoldii</i> . . .	1.75	<i>C. " var. marmorata</i> . . .	32.00
<i>C. guttata</i> var. <i>Prinzii</i> . . .	4.00	<i>C. " var. punctata</i> . . .	85.00
<i>C. guttata</i> var. <i>flava</i> . . .	35.00	<i>C. " var. striata</i> . . .	75.00
<i>C. Harrisoniae</i>	1.75	<i>C. " var. venosa</i> . . .	110.00
<i>C. Harrisoniae</i> var. <i>Alba</i> . . .	50.00	<i>C. luteola</i>	2.40
<i>C. Intermedia</i> (excellent as cut flower) . . .	1.00	<i>C. nobilior</i>	3.00
<i>C. Intermedia</i> var. <i>alba plena</i> .	15.00	<i>C. Schilleriana</i>	5.00
<i>C. " var. alba punctatissima</i> .	15.00	<i>C. velutina</i>	4.00
<i>C. " var. albina</i>	18.00	<i>C. Walkeriana</i>	2.00
<i>C. " var. Aquinii I</i>	75.00	<i>C. violacea</i>	5.00
<i>C. " var. amethystina</i>	3.50	<i>Capanema uliginosa</i>	1.00
<i>C. " var. amethystina-rosea</i> . . .	5.00	<i>Cirrhaea dependens</i>	0.75
<i>C. " var. amethystina-punctata</i>	6.00	<i>Cynoches pentadactlum</i>	3.00
<i>C. " var. carnea</i>	75.00	<i>Cy. Haagei</i>	4.00
<i>C. " var. coerulea</i>	75.00	<i>Cyrtopodium Andersonii</i>	2.50
<i>C. " var. crispa</i>	7.00	<i>C. palmifrons</i>	2.50
<i>C. " var. gigantea</i>	25.00	<i>C. punctatum</i>	2.50
<i>C. " var. Mirabilis</i>	4.00	<i>Encyclea brancteata</i>	1.00
<i>C. " var. rosea</i>	7.50	<i>E. longifolia</i>	1.00
		<i>E. encidioides</i>	1.50

	<u>each</u>		<u>each</u>
<i>Encyclea Osmantha</i> . . .	\$ 2.80	L. <i>Purpurata</i> var. <i>Oculata-aurea</i>	\$125.00
<i>E. papuciflora</i> . . .	2.75	L. " var. <i>Oculata escura</i> . . .	13.00
<i>E. purpurachila</i> . . .	5.00	L. " var. <i>Oculata-extra</i> . . .	150.00
<i>Epidendrum Allemanii</i> . . .	3.25	L. " var. <i>purpurea</i> (or: <i>atropurpurea</i>) . . .	3.00
<i>E. ciliare</i> . . .	3.50	L. " var. <i>Rainha</i> (var. <i>Queen</i>) . . .	40.00
<i>E. cinnabarinum</i> . . .	2.00	L. " var. <i>Sanguinea-Mentzii</i> (red!) . . .	175.00
<i>E. Dichronum</i> var. <i>Morse</i> . . .	2.50	L. " var. <i>Seideliana</i> (<i>Novelty!</i>) . . .	100.00
<i>E. ellipticum</i> . . .	2.00	L. " var. <i>semi-alba</i> . . .	3.50
<i>E. faustum</i> . . .	0.95	L. " var. <i>Schroederae</i> . . .	125.00
<i>E. floribundum</i> . . .	0.90	L. " var. <i>Werkhauserii</i> (with large dark-blue lip) . . .	200.00
<i>E. Fragrans</i> . . .	1.00	L. " " <i>Russelliana</i> (fine variety!) . . .	11.00
<i>E. incurvum</i> . . .	3.00	L. " " " <i>anelata</i> . . .	75.00
<i>E. imatophyllum</i> . . .	0.75	L. " " " <i>aurea</i> . . .	25.00
<i>E. longispathum</i> (Brazilian <i>Dendrobium</i>) . . .	5.00	L. " " " <i>Extra</i> . . .	13.00
<i>E. Loefgrenii</i> . . .	2.00	L. " " " <i>pallida</i> . . .	65.00
<i>E. radicans</i> . . .	1.00	L. " " " <i>concolor</i> (<i>Unicolor!</i>) . . .	100.00
<i>E. patens</i> . . .	1.00	L. " " " <i>rosea</i> . . .	25.00
<i>E. variegatum</i> . . .	1.00	L. " " " <i>rubra</i> . . .	125.00
<i>E. Xanthinum</i> . . .	2.00	L. " " " <i>sanguinea</i> . . .	125.00
<i>Gomeza crispa</i> . . .	2.00	L. " " " <i>Oculata</i> (<i>Rare</i>) . . .	100.00
<i>G. Sessilis</i> . . .	2.50	L. " " " <i>Oculata-rosea</i> . . .	125.00
<i>G. Planifolia</i> . . .	2.30	L. <i>Regnellii</i> (or: <i>Iundii</i>) . . .	2.00
<i>G. recurva</i> . . .	1.50	L. <i>rupestris</i> . . .	2.00
<i>Gongora bufonia</i> . . .	1.00	L. <i>tenebrosa</i> . . .	5.00
<i>Grobia galeata</i> . . .	2.00	L. <i>tenebrosa</i> var. <i>aurea</i> . . .	65.00
<i>Houletia Juruenensis</i> . . .	3.00	L. <i>Xanthina</i> . . .	2.40
<i>Huntleya meleagris</i> . . .	2.50	L. " var. <i>aurata</i> (<i>Dark yellow</i>) . . .	100.00
<i>Laelia cinnabarinna</i> . . .	2.50	L. " var. <i>striata</i> . . .	12.00
<i>L. cinnabarinna</i> var. <i>Cowani</i> . . .	3.50	L. <i>Leptotes bicolor</i> . . .	0.50
<i>L. crispa</i> . . .	4.20	L. <i>unicolor</i> . . .	1.00
<i>L. cripilabia</i> . . .	1.50	L. <i>Maxillaria picta</i> . . .	0.60
<i>L. flava</i> . . .	1.25	M. <i>porphyrostile</i> . . .	1.00
<i>L. flava</i> var. <i>Gloedeniana</i> . . .	3.00	M. <i>ochroleuca</i> . . .	1.00
<i>L. geraensis</i> . . .	1.20	M. <i>Masdevallia infracta</i> . . .	1.50
<i>L. grandis</i> . . .	9.00	M. <i>Miltonia candida</i> . . .	2.50
<i>L. Jongheana</i> . . .	9.00	M. <i>candida</i> var. <i>grandiflora</i> . . .	4.00
<i>L. lobata</i> . . .	3.30	M. <i>Clowessii</i> . . .	1.50
<i>L. longipes</i> . . .	3.00	M. <i>Cuneata</i> . . .	1.60
<i>L. montana</i> (<i>Yellow!</i>) . . .	3.00	M. <i>flavescens</i> var. <i>estrelliensis</i> . . .	
<i>L. Perinii</i> . . .	2.50	(stelatta) . . .	1.20
<i>L. Perinii</i> var. <i>Concolor</i> . . .	150.00	M. <i>Regnellii</i> . . .	1.00
<i>L. pumila</i> . . .	2.00	M. " var. <i>alba</i> (<i>White</i>) . . .	7.00
<i>L. pumila</i> var. <i>Dayana</i> . . .	2.00	M. " var. <i>purpurea</i> (large dark flowers) . . .	5.00
<i>L. pumila</i> var. <i>Praestons</i> . . .	2.25	M. <i>Russelliana</i> . . .	1.50
<i>L. Purpurata</i> (The Queen of the Orchids-Excellent as cut-flower)! . . .	2.20	M. <i>spectabilis</i> . . .	1.25
<i>L. Purpurata</i> var. <i>alba</i> (Pure White) . . .	62.00	M. <i>spectabilis</i> var. <i>Moreliana</i> . . .	2.00
<i>L. " var. albascens</i> . . .	125.00	Mormodes <i>sinuatum</i> . . .	2.00
<i>L. " var. anellata</i> . . .	100.00	Oncidium <i>altissimum</i> . . .	3.00
<i>L. " Carmencita</i> . . .	100.00	O. <i>barbatum</i> . . .	1.20
<i>L. " var. carnea</i> . . .	250.00	O. <i>Banchettii</i> . . .	2.00
<i>L. " var. flamea</i> . . .	75.00	O. <i>cebolleta</i> . . .	5.00
<i>L. " var. Mandayana</i> . . .	80.00	O. <i>concolor</i> . . .	2.00
<i>L. " var. Oculata</i> . . .	100.00		

	<u>each</u>		<u>each</u>
Oncidium crispum	\$ 1.00	Schomburgkia Galliatum var. violacea	\$ 2.00
O. crispum var. grandiflorum	2.00	Scuticaria Hadwenii	2.10
O. divaricatum. . . .	2.00	S. Stellii	2.25
O. echinatum	2.00	Sophronites cernua	1.10
O. flexuosum	0.80	S. coccinea. . . .	1.20
O. Forbessii	2.10	S. grandiflora	2.00
O. Gardnerii	3.00	S. violacea. . . .	1.50
O. Harrisonianum	2.00	Stanhopea graveolans	1.20
O. longicornum. . . .	1.00	S. graveolans var. aurata	2.00
O. longipes	0.75	S. " concolor	2.00
O. Marshallianum	4.00	S. " flava	2.00
O. micropogum	2.00	S. " straminea	2.50
O. montanum	1.50	S. inodora	3.00
O. phymatochilum	1.80	S. insignes. . . .	2.00
O. Robustissimum	1.75	S. " var. major	3.00
O. sarcodes	1.40	S. " var. pallida	3.00
O. spacylypha	1.50	Vanilla planifolia	3.50
O. sphegiferum. . . .	1.20	Warrea tricolor	2.15
O. varicosum	1.30	Warscewiczia flabelliformis	3.00
O. varicosum var. Rogersii	2.00	Zygostates lunata	1.00
Jonopsis paniculata. . . .	2.25	Zygotetalum maxillare. . . .	3.00
Rodreguezia decora	1.15	Z. crinitum. . . .	1.20
R. fragrans	1.20	Z. graminifoliu	1.25
R. venusta	1.20	Z. jugosum (Colax)	1.25
Schomburgkia crispa. . . .	1.40	Z. Makayi	2.30

FOREIGN ORCHIDS

	<u>each</u>		<u>each</u>
Aerides Lawrenziaes. . . .	\$ 12.00	Coelogyne Cummingui	\$ 6.00
Brassavola glauca	10.00	C. Barbata	23.00
Fr. Nodosa	3.00	C. Dayana	13.00
Brassia caudata	7.00	C. Flaccida. . . .	2.00
B. Gireoudiana. . . .	8.00	C. fuliginosa	6.00
B. Kelliana	13.00	C. Fuscescens	18.00
B. Verrucosa	6.50	C. lactea	5.50
Cattleya aurantiaca. . . .	6.50	C. Lawrenceana	18.00
C. Bowringheana	6.50	C. Massangheana	12.00
C. Dowiana var. aurea	80.00	C. stenopetala	5.00
C. Gaskelliana. . . .	20.00	Cymbidium aloefolim	12.00
C. Gigas	15.00	Cymb. lancifolium	12.00
C. Mendellii	18.00	Cymb. pendulum	12.00
C. Mossiae	15.00	Cymb. giganteum	12.00
C. Mossiae var. grandiflora	18.00	Cypripedium bellatalum	6.00
C. Percivaliana	15.00	Cyp. insigne	5.00
C. Rex	35.00	Cyp. insigne var. Sanderae. . . .	12.00
C. Maxima. . . .	27.00	Dendrobium calceolaria	2.50
C. Speciosissima	20.00	D. chrysotoxum	18.00
C. Schroderae	18.00	D. chrysotoxum var. Suavissima	20.00
C. Skinnerii	8.00	D. Dalhousianum	9.00
C. Trianae	15.00	D. densiflorum	12.00
C. Trianae var. alba	68.00	D. Fimbriatum	9.00
C. Trianae var. Popoyan	27.00	D. Fimbriatum var. oculatum	10.00
C. Trianae var. Wildingui	42.00	D. infundibulum	23.00
Coelogyne cristata	2.00	D. Kingianum	6.00
C. cristata var. Chatsworth	5.00	D. Nobile	1.30

	<u>each</u>						<u>each</u>
D. Nobile var. Blackhousianum.	\$ 18.00	Oncidium Janesionum	\$ 2.00
D. " var. Cooksonianum .	6.50	O. Limminghei	3.00
D. " var. Elegans .	18.00	O. ornithorynchum	6.00
D. " var. Nobilius .	4.00	O. Wentworthianum	5.00
D. " var. Sanderianum .	6.75	O. leucochillum	9.00
D. thyrsiflorum . . .	11.00	Phaius Tankervilleae	2.00
Epidendrum Stamfordianum.	6.00	P. maculatum	3.00
Eria Fragrans . . .	3.00	Renanthera coccinea	3.00
E. stricta . . .	3.00	Sobralia leucoxantha	3.00
Galeandra devoniana.	3.00	S. macrantha	3.00
G. lacustris . . .	2.50	S. Xantholeuca	3.00
Laelia Anceps . . .	5.50	Stanhopea bicornuda	5.00
L. anceps var. Schroederianum.	10.00	S. candida	4.00
L. acuminata rosea .	6.00	S. eburnea	9.00
L. Johniana . . .	4.25	S. grandiflora	6.00
L. superbiens . . .	20.00	S. Wardii	6.00
Lycaste cruenta . . .	6.25	Thunia Marshalliana	1.75
Odontoglossum grande .	15.00	T. Veitchiana	3.00
Odon. maculatum .	9.00	Vanda Teres	4.00
Odon. pulchellum .	7.00	V. suave	12.00
Odon. Schroederianum .	8.00	V. concolor.	12.00

HYBRIDS

	<u>each</u>						<u>each</u>
Brassocattleya Charles Verboonen	\$ 30.00	C. Mastersoniae	\$ 5.00
Bc. Ingrid . . .	30.00	C. Memphis	30.00
Bc. Lindleyana . . .	6.00	C. Mercutio	7.00
Bc. Maronae . . .	25.00	C. Mrs. Pitt	6.00
Bc. Mme Charles Maron .	18.00	C. O' Briniana	6.00
Bc. Mme. Marguerite Fournier .	18.00	C. Queen Mary	24.00
Bc. Prosper Merimee .	20.00	C. Roma	12.50
Brassolaelaea Brazil .	6.50	C. Sao Paulo	6.00
Bl. Helen . . .	15.00	C. Krameriana (yellowish)	4.50
Bl. Santa Catarina . . .	20.00	C. gigas X C. Forbesii	10.00
Bl. Veitchii . . .	18.00	C. Harrisoniae X C. Ombiostoma					
Bl. Veitchii var. albescens (White)	35.00	Trytadactylum .					6.00
Brassolaeliocattleya Heleniana	15.00	C. intermedia X C. gigas	7.00
Blc. B. Digbyana x Lc. Martinettii	20.00	C. Wildemanii	9.00
Blc. Bc. Mme Charles Maron X		Dendrobium Euryalus	3.00
L. Latona . . .	9.00	D. Cassiope	2.60
Cattleya Angela . . .	6.00	D. Variabilis	6.50
C. Loddíviana . . .	6.50	D. Regium	18.00
C. Sappho . . .	30.00	D. Splendissimo	3.50
C. Achine . . .	18.00	D. Splendissimo X D. Thyrsiflorum	9.00
C. Cadley . . .	12.00	D. Thyrsiflorum X D. Calceolaria	7.00
C. Clarkiae . . .	5.50	Laeliocattleya Amanda	6.00
C. Dupreana . . .	12.00	Lc. Aphrodite extra	15.00
C. Fabia . . .	20.00	Lc. Bella	12.00
C. Forbettata . . .	12.00	Lc. Bletchleyensis	9.00
C. G. W. Law Schofield .	9.00	Lc. Cranstouniae	8.00
C. Intertexa . . .	12.00	Lc. Canhamiana	9.00
C. Interguttata (extra) .	2.50	Lc. Callistoglossa	12.00
C. Lessueurii . . .	7.00	Lc. Cavalao	3.50
C. Lord Rothschild extra .	35.00	Lc. Corupa	20.00
C. Massangheana . . .	15.00	Lc. Delicata	3.50

	<u>each</u>		<u>each</u>
Lc. Dayana	\$ 7.00	Lc. Wellsiana	\$ 9.00
Lc. Daysii	18.00	Lc. Whitinae	4.25
Lc. Duvalliana. . . .	13.50	Lc. Migdon X C. Harrisoniae .	5.00
Lc. Elegans	3.00	Lc. Statteriana X C. Harrisonae.	6.00
Lc. Elegans var. albens . .	15.00	Lc. Topaz X C. Mossiae grandiflora	7.50
Lc. Elegans var. purpurea . .	12.00	Lc. Topaz X Lc. George Woodhams	9.00
Lc. Euspatha	5.00	L. Crispa X C. intermedia .	3.00
Lc. Eximia (grandiflora). .	7.00	L. Latona X C. Warnerii .	6.00
Lc. Frederick Nietzsche . .	15.00	L. flava X C. Warnerii .	5.00
Lc. George Woodhams Extra . .	18.00	L. Pacavia X C. Haroldiana.	9.50
Lc. Gottoiana	7.50	L. Pacavia X C. gigas. .	12.00
Lc. Haroldiana. . . .	20.00	L. purpurata X C. Forbesii.	4.60
Lc. Kathleen Grey	18.00	L. purpurata X C. Lord Rothschild	12.00
Lc. Lucia. . . .	25.00	L. Tenebrosa X C. Iris .	9.00
Lc. Mozart	24.00	L. Tenebrosa X C. Wawriniana .	9.00
Lc. Octavia	33.00	Laelia Latona	5.00
Lc. Dr. Pereira Barreto . .	30.00	L. Pacavia	5.00
Lc. Sallierri	6.75	L. purpurata X L. Latona .	9.00
Lc. Schilleriana	3.25	L. purpurata X L. Pumila praestans	9.00
Lc. Schilleriana var. concolor	125.00	Cattleya-Schomburgkia Harrisoniae	6.00
Lc. Statteriana	10.00	Sophrocattleya Callipso .	18.00
Lc. Topaz	6.00	Sophrolaeliocattleya Rosina R .	20.00
Lc. Tresederiana	3.50	Miltonia Bluntii. . . .	6.00
Lc. Valtaire Extra	30.00	M. Festiva	6.00
Lc. Veitchiana. . . .	6.00	M. Ludersiana	6.50

WHOLESALE BRAZILIAN PRICE LIST

The following plants are offered under the same terms and conditions as the plants offered in our retail list.

			<u>10</u>	<u>50</u>	<u>100</u>	<u>1000 plants</u>
Brassavola Perinii .	.	.	\$14.00	\$65.00	\$120.00	\$1,000.00
Cattleya Aclandiae .	.	.	28.00	130.00	240.00	2,000.00
C. Amethystoglossa .	.	.	21.00	100.00	195.00	1,900.00
C. Bicolor .	.	.	21.00	98.00	190.00	1,850.00
C. Dormaniana .	.	.	33.00	150.00	250.00	2,000.00
C. Eldorado .	.	.	40.00	180.00	330.00	3,000.00
C. Forbessii .	.	.	9.00	44.00	85.00	800.00
C. Forbessii var. Aurea .	.	.	33.00	150.00	250.00	2,000.00
C. Granulosa .	.	.	28.00	130.00	240.00	2,100.00
C. Granulosa var. Schofieldiana .	.	.	34.00	150.00	280.00	2,500.00
C. Grossii .	.	.	28.00	130.00	240.00	2,100.00
C. Guttata .	.	.	14.00	68.00	130.00	1,200.00
C. Guttata var. Leopoldii .	.	.	17.00	75.00	145.00	1,350.00
C. Guttata var. Prinzii .	.	.	38.00	170.00	300.00	2,000.00
C. Harrisoniae. .	.	.	17.00	75.00	145.00	1,350.00
C. Intermedia .	.	.	9.00	44.00	85.00	800.00
C. Labiata Autumnalis (from Ceara).			30.00	130.00	240.00	2,000.00
C. Labiata " (from Pernambuco) .	.	.	29.00	125.00	230.00	1,950.00
C. Warnerii .	.	.	32.00	145.00	250.00	2,200.00
C. Luteola .	.	.	22.00	100.00	195.00	1,800.00
C. Nobilior .	.	.	28.00	130.00	240.00	2,000.00
C. Schulleriana .	.	.	49.00	243.00	480.00	4,700.00
C. Velutina .	.	.	38.00	180.00	350.00	3,400.00
C. Violacea .	.	.	48.00	235.00	450.00	3,500.00
C. Walkeriana .	.	.	19.00	90.00	175.00	1,700.00
Epidendrum Cinnabarinum .	.	.	18.00	85.00	160.00	1,200.00
E. Dichronum var. Morse .	.	.	22.00	100.00	190.00	1,600.00
E. Xanthinum .	.	.	18.00	85.00	165.00	1,250.00
Laelia Cinnabarinia .	.	.	22.00	100.00	185.00	1,500.00
L. Cinnabarinia var. Cowanii .	.	.	30.00	130.00	240.00	2,000.00
L. Crispa .	.	.	40.00	180.00	350.00	3,200.00
L. Crispilabia. .	.	.	14.00	65.00	120.00	1,000.00
L. Flava .	.	.	12.00	55.00	105.00	1,000.00
L. Flava var. Gloedeniana .	.	.	28.00	120.00	220.00	1,800.00
L. Geraensis .	.	.	10.00	45.00	85.00	800.00
L. Grandis .	.	.	85.00	400.00	750.00	7,000.00
L. Jongheana .	.	.	85.00	400.00	750.00	7,000.00
L. Lobata. .	.	.	30.00	140.00	265.00	2,400.00
L. Longipes .	.	.	28.00	120.00	220.00	1,800.00
L. Montana .	.	.	28.00	120.00	220.00	1,800.00
L. Perinii .	.	.	23.00	105.00	190.00	1,600.00
L. Pumila. .	.	.	18.00	85.00	150.00	1,200.00
L. Pumila var. Dayana .	.	.	18.00	85.00	150.00	1,200.00
L. Pumila var. Praestans. .	.	.	20.00	95.00	170.00	1,400.00
L. Purpurata .	.	.	20.00	95.00	180.00	1,700.00
L. Purpurata var. purpurea .	.	.	28.00	120.00	220.00	2,100.00
L. Purpurata var. Semi-alba .	.	.	32.00	145.00	240.00	2,000.00

			<u>10</u>	<u>50</u>	<u>100</u>	<u>1000 plants</u>
Laelia Regnellii	.	.	\$19.00	\$90.00	\$175.00	\$1,500.00
L. Rupestris	.	.	19.00	90.00	180.00	1,600.00
L. Tenebrosa	.	.	49.00	243.00	480.00	4,700.00
L. Xanthina	.	.	23.00	110.00	200.00	1,900.00
Leptotes Bicolor	.	.	4.50	21.00	40.00	390.00
Miltonia Candida	.	.	23.00	110.00	200.00	1,900.00
M. Candida var. grandiflora	.	.	39.00	190.00	360.00	3,000.00
M. Clowessii	.	.	14.00	65.00	110.00	950.00
M. Cuneata	.	.	15.00	70.00	120.00	1,000.00
M. Flavescens var. stellata	.	.	10.00	45.00	85.00	800.00
M. Regnellii	.	.	9.00	44.00	80.00	650.00
M. Regnellii var. Alba	.	.	60.00	275.00	520.00	3,500.00
M. Regnellii var. Purpurea	.	.	45.00	230.00	470.00	3,500.00
M. Russelliana.	.	.	15.00	70.00	140.00	1,350.00
M. Spectabilis.	.	.	12.00	55.00	105.00	1,000.00
M. Spectabilis var. Morelliana	.	.	19.00	90.00	175.00	1,500.00
Oncidium Altissimum.	.	.	28.00	150.00	290.00	2,500.00
O. Concolor	.	.	19.00	90.00	175.00	1,400.00
O. Crispum	.	.	10.00	48.00	90.00	850.00
O. Crispum var. grandiflora	.	.	18.00	85.00	150.00	1,200.00
O. Flexuosum	.	.	7.00	32.00	60.00	500.00
O. Forbessii	.	.	20.00	90.00	160.00	1,400.00
O. Gardnerii	.	.	27.00	120.00	220.00	1,800.00
O. Sarcodes	.	.	12.00	55.00	100.00	900.00
O. Varicosum	.	.	12.00	60.00	120.00	1,000.00
O. Varicosum var. Rogersii	.	.	18.00	90.00	175.00	1,500.00
Phaius Tankervilleae.	.	.	18.00	85.00	160.00	1,500.00
Sophronites Cernua	.	.	10.00	45.00	85.00	800.00
Soph. Coccinea.	.	.	10.00	45.00	85.00	700.00
Soph. Grandiflora	.	.	18.00	85.00	160.00	1,200.00
Zygotetalum Crinitum	.	.	11.00	50.00	95.00	900.00
Z. Mackayi	.	.	21.00	98.00	190.00	1,850.00

			<u>5</u>	<u>10 plants</u>
Cattleya Eldorado var. Albescens	.	.	\$ 40.00	\$ 70.00
C. Intermedia var. Amethystina	.	.	16.00	30.00
C. " var. Amethystina Rosea	.	.	24.00	46.00
C. " var. Amethystina Punctata.	.	.	28.00	54.00
C. " var. Crispa	.	.	34.00	65.00
C. " var. Mirabilis.	.	.	19.00	37.00
C. " var. Rosea Punctata	.	.	58.00	112.00
C. " var. Punctatissima	.	.	24.00	46.00
C. " var. Striata	.	.	34.00	65.00
C. " var. Vinicolor	.	.	29.00	55.00
Laelia Purpurata var. Russelliana	.	.	53.00	100.00
Laelia Purpurata var. Alba (pure white)	.	.	300.00	580.00

FINCK FLORAL CO.

R #12, Box 287

Kirkwood 22, Missouri

